


Lighting Trunking / Pre Galvanised / Accessories / Four Way Intersection / Page 1 of 3

British Standard:

BS EN 50085-1:2005
BS EN 50085-2-1:2006

Material Specification:

British Standard: BS EN 10346:2015.



Finish:

Pre Galvanised

Ordering Information:

- Please refer to the following pages or alternatively visit our website below:

<http://www.trenchltd.com>

Product Information: Standard

- Fitted with combi screws to suit crosshead or flathead screw driver for coupling fitting to trunking length and to provide earth continuity.

Packing Detail: Standard

- 1 x four way intersection c/w fitted fixings

Other Options Available:

- Powder Coated
- Cover to suit

Lighting Trunking / Pre Galvanised / Accessories / Four Way Intersection / Ordering Information / Page 2 of 3

Powder Coated

Please ensure that when requesting a quotation for powder coated products that you have the correct quantities, RAL number and finish (i.e. matt or gloss) in order for us to quote accordingly.

Please note product codes for powder coated items are Non-Standard, however, dimensions & weights on page 3 are still applicable.

Covers

Trench offer separate covers if required for lighting trunking fourway intersections the code is **COV-LA4WI/FT**. Please refer to technical data sheet for accessory covers.

Lighting Trunking / Pre Galvanised / Accessories / Four Way Intersection / Dimensions & Weights / Page 3 of 3

Product Code Standard	Dim A (mm) To Suit Width	Dim B (mm) To Suit Height	Dim C (mm)	Dim D (mm)	Weight (kg)
LA4WI	50	50	N/A	N/A	0.46

Approximate weights shown are a nominal value due to material thickness and tolerance and includes fixings where applicable.

